

**Notice of Allowability**

Application No.

10/027,964

Examiner

Harry Vartanian

Applicant(s)

RICKARD ET AL.

Art Unit

2634

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 10/25/2001.
2. ☒ The allowed claim(s) is/are 1-21.
3. ☒ The drawings filed on 25 October 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All   b) ☐ Some\*   c) ☐ None   of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date 4/2002
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_.

**EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Don Paschburg(reg# 33,753) on 4/26/2005.

The application has been amended as follows:

In specification Pg. 8, Lines 5-12 please correct the following:

computed for the two mixtures (step ~~220~~211).

Subsequent to step ~~220~~211, the method proceeds to step ~~240~~220 to update mixing parameters of the two mixtures, and then the method proceeds to step ~~250~~240 and filters the two mixtures.

Subsequent to step ~~250~~240, a time domain representation is computed for the two mixtures (step ~~260~~250). Estimates of the (original) multiple sources are output (step ~~270~~260).

It is to be appreciated that the steps directed to computing the time domain and frequency domain representations (steps ~~220~~250 and ~~260~~211, respectively) are readily performed

In specification Pg. 15, Line 8 please correct the following:

FIG. 5 is a flow diagram illustrating step ~~250~~240 (filter) of the method of FIG. 2,

In specification Pg. 16, Line 4 please correct the following:

guesses has to be the correct one,

In specification Pg. 17, Line 1 please correct the following:

FIG. 6 is a flow diagram illustrating step ~~270~~260 (output estimates) of the method of

Art Unit: 2634

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: change "compute frequency domain representation for two mixtures" in figure 2 from block number 210 to number 211. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harry Vartanian whose telephone number is 571.272.3048. The examiner can normally be reached on 10:00-6:30 Mondays to Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Chin can be reached on 571.272.3056. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Harry Vartanian  
Examiner  
Art Unit 2634

HV

  
**STEPHEN CHIN**  
**SUPERVISORY PATENT EXAMINER**  
**TECHNOLOGY CENTER 2600**